

1/16




Fig. 1

2/16




Fig. 2

3/16

300




Fig. 3

4/16




Fig. 4

5/16




Fig. 5

6/16




Fig. 6

7/16




Fig. 7




Fig. 9

8/16




Fig. 8

9/16




Fig. 10




Fig. 11

12/16

1302

1300

BUSINESS PROCESS EDITOR

File

Edit

Publish

Help

Application Access Method

Process Flow

Access Method Name

OrderEntry

Access Method Type

Program Call

Properties

System

rchas001

Userid

rstevens

Password

PCM document

orderentrypgm

Browse

Documents

Input

orderentrypgm

Browse

Load

☒

PCML

☐

XML

Output

orderentrypgm

Browse

Load

☒

PCML

☐

XML

Field ID	Name	Default	Display
<div>Input</div> <div> <div>XYZ</div> <div>inum</div> <div>q</div> </div>	Item Number		<input checked="" type="checkbox"/>
	Item Quantity	1	<input checked="" type="checkbox"/>
<div>Output</div> <div> <div>XYZ</div> <div>p</div> </div>	Item Price		<input checked="" type="checkbox"/>

Fig. 13

13/16

1300

BUSINESS PROCESS EDITOR								
File	Edit	Publish Help						
<div style="display: flex; justify-content: space-between;"> Application Access Method Process Flow </div>								
Protocol	Ariba							
Action	Order Request							
Access Method names	Order Entry							
Input Mappings								
<div style="display: flex;"> <div style="flex: 1;"> <p>Request Fields</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B2B Header <ul style="list-style-type: none"> <input type="checkbox"/> Field 1 <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item ID <ul style="list-style-type: none"> <input type="checkbox"/> SupplierPartID <input type="checkbox"/> @quantity </div> <div style="flex: 1;"> <p>Access Method Fields</p> <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity <input type="checkbox"/> Billing Address <input type="checkbox"/> Shipping Address </div> </div>	<div style="display: flex; justify-content: space-between;"> Add Mappings <div style="border: 1px solid black; width: 100%; height: 100px;"></div> </div>							
Output Mappings								
<div style="display: flex;"> <div style="flex: 1;"> <p>Response Fields</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input type="checkbox"/> @quantity </div> <div style="flex: 1;"> <p>Access Method Fields</p> <ul style="list-style-type: none"> <input type="checkbox"/> Item Price <input type="checkbox"/> Shipping Date <input type="checkbox"/> Shipping Status </div> </div>	<div style="display: flex; justify-content: space-between;"> Add Mappings <div style="border: 1px solid black; width: 100%; height: 100px;"></div> </div>							
Access Method Fields								
<div style="display: flex;"> <div style="flex: 1;"> <p>Input</p> <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity <p>Output</p> <ul style="list-style-type: none"> <input type="checkbox"/> Item Price </div> <div style="flex: 2;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">/itemOut/itemID/SupplierPartID</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">Remove</td> </tr> <tr> <td style="padding: 5px;">/itemOut/@quantity</td> </tr> <tr> <td style="padding: 5px;">/itemOut/@price</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">Remove All</td> </tr> <tr> <td style="padding: 5px;"></td> </tr> </table> </div> </div>	/itemOut/itemID/SupplierPartID	Remove	/itemOut/@quantity	/itemOut/@price	Remove All			
/itemOut/itemID/SupplierPartID	Remove							
/itemOut/@quantity								
/itemOut/@price	Remove All							

Fig. 14

14/16

Instances
Suppliers
Buyers
Catalog
Deployment

DEPLOY FLOW INSTRUCTIONS FOR <INSTANCE NAME>

	Select Protocol
<input type="radio"/>	Ariba
<input type="radio"/>	Metiom
<input type="radio"/>	

Next

Cancel

Exit the Tool

- Making selection and clicking
Next starts a series of steps:

- Step 1: Select Protocol (this screen)
- Step 2: Select Marketplace
- Step 3: Select Protocol elements supported and Flow Operations that support those elements.
- Step 4: Finish and Deploy

MESSAGE AREA

Fig. 15

15/16

1600

Instances
Suppliers
Buyers
Catalog
Deployment

SELECT MARKETPLACE FOR <INSTANCE NAME>

MARKETPLACE:

- select marketplace-▽

Next

Only valid/known Marketplaces are shown selection required, next goes to next screen

Cancel

Exit the Tool

MESSAGE AREA

Fig. 16

Instances

Suppliers

Buyers

Catalog

Deployment

CONFIGURE JOE'S FISHMARKET FOR <INSTANCE NAME>

1710	1706 Transaction	1708 Subtype	1714 Supplier	1712 Buyer	1704 Operation (Flow)
<input checked="" type="checkbox"/>	OrderMessage	<none>	*All ▽	*All ▽	JoeseFishOrder ▽
<input type="checkbox"/>	ProfileRequest	<none>	*All ▽	*All ▽	AribaProfile ▽
<input checked="" type="checkbox"/>	PunchOut	create	*All ▽	*All ▽	PunchOutCeate ▽
<input checked="" type="checkbox"/>		edit	*All ▽	*All ▽	JoesePunchEdit ▽
<input type="checkbox"/>		inspect	*All ▽	*All ▽	Punchoutinspect ▽

1702

Edit

- Select which protocol messages and sub-types will be supported for this market

- Only Valid types for Protocol will be displayed

- Valid Operations come up in operation dropdown

Previous

Advances

- Display and allow edit of supplier/Buyer

- Known Suppliers/ buyers in dropdown

- Selecting new Supplier/ Buyer creates new line

Deploy

Deploy the Metadata

MESSAGE AREA

Fig. 17